



得豐實業有限公司

Dfwisdom Industrial CO., LTD

PATS / PAYS 緩衝式 Serie

選用型號

PATS
PAYS - ^①10 - ^②4 - ^③N

① 吸盤直徑		② 行程 mm						
10	Φ10	4	6	10	15	20	30	50
15	Φ15	③ 吸盤材質						
20	Φ20							
25	Φ25							
30	Φ30							
40	Φ40							
50	Φ50	N	丁腈橡膠NBR					
		S	矽橡膠					
		NE	抗靜電丁腈橡膠					
		SE	抗靜電矽橡膠					



PATS



PAYS


規格特性 Specifications Characteristics

標示	材質	硬度	使用溫度範圍	顏色	膠體阻抗值
N	丁腈橡膠NBR	A55 / S	-26 °C ~ 120 °C	黑色	/
S	矽橡膠	A55 / S	-60 °C ~ 250 °C	乳白色	
NE	抗靜電丁腈橡膠	A70 / S	-26 °C ~ 120 °C	黑色紅點	$10^5 \sim 10^7 \Omega / \text{cm}^3$
SE	抗靜電矽橡膠	A55 / S	-60 °C ~ 250 °C	黑色紅點	$10^5 \sim 10^7 \Omega / \text{cm}^3$



PATS / PAYS 緩衝式 Serie

安裝尺寸 Installation Dimensions



PATS	A	B	C	E	Y
PATS - 10 - 4	10	56.5	7.5	8	0.6
PATS - 10 - 10	10	68.5	7.5	20	0.6
PATS - 10 - 20	10	88.5	7.5	40	0.6
PATS - 10 - 30	10	108.5	7.5	60	0.6
PATS - 15 - 4	15	56.5	7.5	8	0.9
PATS - 15 - 10	15	68.5	7.5	20	0.9
PATS - 15 - 20	15	88.5	7.5	40	0.9
PATS - 15 - 30	15	108.5	7.5	60	0.9
PATS - 20 - 4	20	59	10	8	1.2
PATS - 20 - 10	20	71	10	20	1.2
PATS - 20 - 20	20	91	10	40	1.2
PATS - 20 - 30	20	111	10	60	1.2
PATS - 25 - 6	25	76	18	13	1.5
PATS - 25 - 15	25	93	18	30	1.5
PATS - 25 - 30	25	123	18	60	1.5
PATS - 25 - 50	25	163	18	100	1.5

PATS	A	B	C	E	Y
PATS - 30 - 6	30	76	18	13	1.8
PATS - 30 - 15	30	93	18	30	1.8
PATS - 30 - 30	30	123	18	60	1.8
PATS - 30 - 50	30	163	18	100	1.8
PATS - 40 - 6	40	76	18	13	2.4
PATS - 40 - 15	40	93	18	30	2.4
PATS - 40 - 30	40	123	18	60	2.4
PATS - 40 - 50	40	163	18	100	2.4
PATS - 50 - 6	50	76	18	13	3
PATS - 50 - 15	50	93	18	30	3
PATS - 50 - 30	50	123	18	60	3
PATS - 50 - 50	50	163	18	100	3




得豐實業有限公司


Dfwisdom Industrial CO., LTD

PATS / PAYS 緩衝式 Serie


安裝尺寸 Installation Dimensions



PAYS-10/15/20



PAYS-25/30



PAYS-40/50

PAYS	A	B	C	E	Y
PAYS - 10 - 4	10	60	7.5	8	0.6
PAYS - 10 - 10	10	72	7.5	20	0.6
PAYS - 10 - 20	10	92	7.5	40	0.6
PAYS - 10 - 30	10	112	7.5	60	0.6
PAYS - 15 - 4	15	60	7.5	8	0.9
PAYS - 15 - 10	15	72	7.5	20	0.9
PAYS - 15 - 20	15	92	7.5	40	0.9
PAYS - 15 - 30	15	112	7.5	60	0.9
PAYS - 20 - 4	20	62.5	10	8	1.2
PAYS - 20 - 10	20	74.5	10	20	1.2
PAYS - 20 - 20	20	94.5	10	40	1.2
PAYS - 20 - 30	20	114.5	10	60	1.2
PAYS - 25 - 6	25	92.5	18	13	1.5
PAYS - 25 - 15	25	109	18	30	1.5
PAYS - 25 - 30	25	139	18	60	1.5
PAYS - 25 - 50	25	179	18	100	1.5

PAYS	A	B	C	E	Y
PAYS - 30 - 6	30	92	18	13	1.8
PAYS - 30 - 15	30	109	18	30	1.8
PAYS - 30 - 30	30	139	18	60	1.8
PAYS - 30 - 50	30	179	18	100	1.8
PAYS - 40 - 6	40	92	18	13	2.4
PAYS - 40 - 15	40	109	18	30	2.4
PAYS - 40 - 30	40	139	18	60	2.4
PAYS - 40 - 50	40	179	18	100	2.4
PAYS - 50 - 6	50	92	18	13	3
PAYS - 50 - 15	50	109	18	30	3
PAYS - 50 - 30	50	139	18	60	3
PAYS - 50 - 50	50	179	18	100	3