



PFYS 緩衝式 Series

選用型號

① ② ③
 PFYS - 2A - 4 - N

① 吸盤直徑 mm			
2A	Φ2	40	Φ40
3.5A	Φ3.5	50	Φ50
6A	Φ6	60	Φ60
8A	Φ8	80	Φ80
10A	Φ10	95	Φ95
15	Φ15	100	Φ100
20	Φ20	120	Φ120
25	Φ25	150	Φ150
30	Φ30	200	Φ200
35	Φ35		

② 行程 mm						
2.5	3	4	5	6	10	15
20	25	30	50	70	100	


③ 吸盤材質	
N	丁腈橡膠NBR
S	矽橡膠
NE	抗靜電丁腈橡膠
SE	抗靜電矽橡膠



規格特性 Specifications Characteristics

標示	材質	硬度	使用溫度範圍	顏色	膠體阻抗值
N	丁腈橡膠NBR	A55 / S	-26 °C ~ 120 °C	黑色	
S	矽橡膠	A55 / S	-60 °C ~ 250 °C	乳白色	
NE	抗靜電丁腈橡膠	A70 / S	-26 °C ~ 120 °C	黑色紅點	$10^5 \sim 10^7 \Omega / \text{cm}^3$
SE	抗靜電矽橡膠	A55 / S	-60 °C ~ 250 °C	黑色紅點	$10^5 \sim 10^7 \Omega / \text{cm}^3$

安裝尺寸 Installation Dimensions






得豐實業有限公司

Dfwisdom Industrial CO., LTD

PFYS 緩衝式 Series

安裝尺寸 Installation Dimensions



PFYS	A	B	C	D	E	F	G	J	K	S	M	Y	Z
PFYS-2-2.5	2	35.7	4	16.4	4.5	9	M5x0.8	11	11	7H	1.5	0.5	---
PFYS-2-5	2	40.7	4	16.4	9.5	9	M5x0.8	11	11	7H	1.5	0.5	---
PFYS-3.5-2.5	3.5	35.7	4	16.4	4.5	9	M5x0.8	11	11	7H	1.5	0.5	---
PFYS-3.5-5	3.5	40.7	4	16.4	9.5	9	M5x0.8	11	11	7H	1.5	0.5	---
PFYS-6-3	6	51	6.5	22.5	6	13	M9x1.0	21	13	12H	2	0.8	---
PFYS-6-10	6	65	6.5	22.5	20	13	M9x1.0	21	13	12H	2	0.8	---
PFYS-6-15	6	75	6.5	22.5	30	13	M9x1.0	21	13	12H	2	0.8	---
PFYS-6-25	6	95	6.5	22.5	50	13	M9x1.0	21	13	12H	2	0.8	---
PFYS-8-3	8	51.5	7	22.5	6	13	M9x1.0	21	13	12H	2	1.2	---
PFYS-8-10	8	65.5	7	22.5	20	13	M9x1.0	21	13	12H	2	1.2	---
PFYS-8-15	8	75.5	7	22.5	30	13	M9x1.0	21	13	12H	2	1.2	---
PFYS-8-25	8	95.5	7	22.5	50	13	M9x1.0	21	13	12H	2	1.2	---
PFYS-10-4	10	60	7.5	22.5	8	19	M11x1.0	21	13	14H	3	1.5	---
PFYS-10-10	10	72	7.5	22.5	20	19	M11x1.0	21	13	14H	3	1.5	---
PFYS-10-20	10	92	7.5	22.5	40	19	M11x1.0	21	13	14H	3	1.5	---
PFYS-10-30	10	112	7.5	22.5	60	19	M11x1.0	21	13	14H	3	1.5	---
PFYS-15-4	15	60	8	22	8	19	M11x1.0	21	14	14H	3	1.9	M5
PFYS-15-10	15	72	8	22	20	19	M11x1.0	21	14	14H	3	1.9	M5
PFYS-15-20	15	92	8	22	40	19	M11x1.0	21	14	14H	3	1.9	M5
PFYS-15-30	15	112	8	22	60	19	M11x1.0	21	14	14H	3	1.9	M5
PFYS-20-4	20	62	10	22	8	19	M11x1.0	21	14	14H	3	2.3	M5
PFYS-20-10	20	74	10	22	20	19	M11x1.0	21	14	14H	3	2.3	M5
PFYS-20-20	20	94	10	22	40	19	M11x1.0	21	14	14H	3	2.3	M5
PFYS-20-30	20	114	10	22	60	19	M11x1.0	21	14	14H	3	2.3	M5



得豐實業有限公司

Dfwisdom Industrial CO., LTD

PFYS 緩衝式 Series

安裝尺寸 Installation Dimensions

PFYS	A	B	C	D	E	F	G	J	K	S	M	Y	Z
PFYS-25-6	25	87	14	32	13	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-25-15	25	104	14	32	30	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-25-30	25	134	14	32	60	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-25-50	25	174	14	32	100	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-30-6	30	85	12	32	13	24	M14x1.5	23	20	17H	4	2.0	M6
PFYS-30-15	30	102	12	32	30	24	M14x1.5	23	20	17H	4	2.0	M6
PFYS-30-30	30	132	12	32	60	24	M14x1.5	23	20	17H	4	2.0	M6
PFYS-30-50	30	172	12	32	100	24	M14x1.5	23	20	17H	4	2.0	M6
PFYS-35-6	35	87	14	32	13	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-35-15	35	104	14	32	30	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-35-30	35	134	14	32	60	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-35-50	35	174	14	32	100	24	M14x1.5	23	20	17H	4	3.0	M6
PFYS-40-6	40	87	14	32	13	24	M14x1.5	23	20	17H	4	3.5	M6
PFYS-40-15	40	104	14	32	30	24	M14x1.5	23	20	17H	4	3.5	M6
PFYS-40-30	40	134	14	32	60	24	M14x1.5	23	20	17H	4	3.5	M6
PFYS-40-50	40	174	14	32	100	24	M14x1.5	23	20	17H	4	3.5	M6
PFYS-50-6	50	88	14	32	13	24	M14x1.5	23	20	17H	4	4.0	M8
PFYS-50-15	50	105	14	32	30	24	M14x1.5	23	20	17H	4	4.0	M8
PFYS-50-30	50	135	14	32	60	24	M14x1.5	23	20	17H	4	4.0	M8
PFYS-50-50	50	175	15	32	100	24	M14x1.5	23	20	17H	4	4.0	M8
PFYS-60-10	60	110.5	18.5	40	20	28	M16x1.5	---	28	21H	5	5.0	M10x1.25
PFYS-60-30	60	150.5	18.5	40	60	28	M16x1.5	---	28	21H	5	5.0	M10x1.25
PFYS-60-50	60	190.5	18.5	40	100	28	M16x1.5	---	28	21H	5	5.0	M10x1.25
PFYS-60-70	60	230.5	18.5	40	140	28	M16x1.5	---	28	21H	5	5.0	M10x1.25
PFYS-80-10	80	110.5	20.5	40	20	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-80-30	80	150.5	20.5	40	60	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-80-50	80	190.5	20.5	40	100	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-80-70	80	230.5	20.5	40	140	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-95-10	95	113	21	40	20	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-95-30	95	153	21	40	60	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-95-50	95	193	21	40	100	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-95-70	95	233	21	40	140	28	M16x1.5	---	28	21H	5	6.0	M10x1.25
PFYS-100-15	100	106	19	16	30	35	M22x1.5	---	---	27H	6	6.0	---
PFYS-100-30	100	136	19	16	60	35	M22x1.5	---	---	27H	6	6.0	---
PFYS-100-50	100	176	19	16	100	35	M22x1.5	---	---	27H	6	6.0	---
PFYS-100-70	100	216	19	16	140	35	M22x1.5	---	---	27H	6	6.0	---
PFYS-120-20	120	203.5	25.5	50	75	45	M30x1.5	---	38	36H	10	6.0	4-M8
PFYS-120-100	120	293.5	25.5	50	165	45	M30x1.5	---	38	36H	10	6.0	4-M8
PFYS-150-20	150	210.5	32.5	50	75	45	M30x1.5	---	38	36H	10	9.0	4-M8
PFYS-150-100	150	300.5	32.5	50	165	45	M30x1.5	---	38	36H	10	9.0	4-M8
PFYS-200-20	200	215.5	37.5	50	75	45	M30x1.5	---	38	36H	10	13.0	4-M8
PFYS-200-100	200	305.5	37.5	50	165	45	M30x1.5	---	38	36H	10	13.0	4-M8